# UAP Advanced Participant Guide

Welcome to Mercy!

## Scope of Practice

Examples of collecting data:			Examples of interpreting data:
•	The UAP data	The nurse data	•
•			
<b>Providing Patient Card</b>	e: UAP Role		
Any complaint of pain		al observatior	
repo	rted to the ni	urse right awa	У
Bedside Shift Repor	t		
Things	to Remember ab	out Bedside Shift R	Report
•			


### Patient Identification and Safety Bands

White:	Purple:	Gray:
Red:	Pink:	*Always verify the patient's and
Yellow:	Blue:	!*

### Admissions, Transfers and Discharges

Mercy UAPs show hospitality during the patient's arrival by:


Knock
Address
Introduce
Assist
Review
Review



#### Discharge

Defined as official	from hospital. UAP will assist with	and
The UAP will es	cort the patient to their vehicle via	

#### **Intake and Output**



In	take and Output	
•	Captures	
•	Identifies	
•		– _an order
•	Notify	of tracking

Caloric Liquid Intake includes Tray Delivery:	and _	Non-caloric liquid is Tray Pickup	only.
<ul><li>Use 2</li><li>Set</li></ul>	_	<ul><li>Document</li><li>and mL)</li><li>Take tray to</li></ul>	(points
• Hand	_	• Hand	

#### Caring for Patients with Dysphagia

Dys + phagia = difficulty \_\_\_\_\_ and can be a concern for \_\_\_\_\_.

How to recognize
<ul><li>Coughing or</li><li>Difficulty controlling</li><li>Wet or gurgling</li></ul>
• Spitting • Pocketing
Absent or weak      Prolonged

Supportiv	ve Ca	are		
•				
•			<del></del>	
•			<del></del>	
•				
•				
•			<del></del>	

#### **Diabetes**

Blood Glu	ıcose
<ul><li> to</li><li> Monitor the paglucose</li><li> before a meal.</li></ul>	tient's

Hyperglycem	ia>140 mg/dL
• Signs	
•	
•	
•	
•	

Hypoglycemia<70mg/dL					
• Signs					
•					
•					
•					
•					

### Skin/Wound Management

#### Pressure Warning Signs:

- areas over bony prominences or under medical devices
- Previously reddened area that is now \_\_\_\_\_, or shiny.

#### UAP Role

Report \_\_\_\_\_

Utilize \_\_\_\_\_

Follow \_\_\_\_\_\_

Document \_\_\_\_\_\_

### **Hot and Cold Applications**

Document

Apply as directed Check on application with supervision frequently

Recognize at risk patients

Do not apply to broken skin or directly to skin

Notes:			

\_\_\_\_\_

### **Suicide Precautions**

				Neverleave the
the patient may use to injure themself	Keep patient in of	Have a from	Keep the patient's	patient
		the area if patient becomes	 at all	(must accompany to all
		agitated	times	tests, bathroom,
				etc.)

### **Lab Specimen Collection**

Clean Catch Technique	Indwelling Catheter Collection	24 Hour Urine Collection	
	Coutum	Specimen Transport	
Stool	Sputum	Specimen Transport	

### **Labeling Lab Specimens**

1.	Right
2.	Right
3.	Right
4.	Right
5.	Right

6. Right \_\_\_\_\_

